

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(list with(company near1 code))and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:11
S1	1	("6535294").PN.	USPAT; USOCR	OR	OFF	2005/10/18 17:49
S2	1	("6834294").PN.	USPAT; USOCR	OR	OFF	2005/10/18 17:52
S3	12	(company near1 group near1 identi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/18 17:54
S4	4	(company near1 group near1 identi\$4) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 17:58
S5	2	(company near2 group near1 identity) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 18:00
S6	33	(company near2 group) with profile\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 18:11
S7	2	(company near2 group near1 code) with profile\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/18 18:17
S8	1	("6834294").PN.	USPAT; USOCR	OR	OFF	2005/10/18 18:17
S9	1	("6681229").PN.	USPAT; USOCR	OR	OFF	2005/10/18 18:17

S10	0	(location\$1 with (company near1 code\$3) with (location1 near1 code\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 10:56
S11	0	(location\$1 same (company near1 code\$3) with (location1 near1 code\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 10:56
S12	0	(location\$1 same (company near1 code\$3) same (location1 near1 code\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 10:56
S13	5	(location\$1 same (compan\$3 near1 code\$3) same (location\$1 near1 code\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 10:59
S14	5	(compan\$3 near1 code\$3) same (location\$1 near1 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:00
S15	29	(compan\$3 near3 code\$3) same (location\$1 near3 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:01
S16	3	(select\$3 near3 location\$1) same(compan\$3 near3 code\$3) same (location\$1 near3 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:03
S17	29	(location\$1) same(compan\$3 near3 code\$3) same (location\$1 near3 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:03

S18	22	(location\$1) same(compan\$3 near3 code\$3) with (location\$1 near3 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:05
S19	3	(select\$3 near1 location\$1) same(compan\$3 with code\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:05
S20	0	(choos\$3 near1 location\$1) same(compan\$3 with code\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:05
S21	7	(select\$3 near2 location\$1) same(compan\$3 with code\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:07
S22	2	(select\$3 near2 location\$1) same(compan\$3 with identif\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:08
S23	413	(location\$1) same(compan\$3 with code\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:08
S24	32	(location\$1) same(compan\$3 near1 code\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:12
S25	2	(location\$1) same(compan\$3 near1 code\$3) with (location\$1 near1 code\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:18

S26	0	(location\$1) same(compan\$3 near1 code\$3) with (geographic\$4 near1 code\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:13
S27	1	(location\$1) same(compan\$3 near1 code\$3) with (location\$1 near1 indicia\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:19
S28	1102	(location\$1) same(compan\$3 near1 code\$3) samw(location\$1 near1 indicia\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:19
S29	1	(location\$1) same(compan\$3 near1 code\$3) same(location\$1 near1 indicia\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:19
S30	1	(compan\$3 near1 code\$3) same(location\$1 near1 indicia\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:19
S31	1	(compan\$3 near1 identifier\$3) same(location\$1 near1 indicia\$3)and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:21
S32	10	((user near1 profile) with location\$3) and company near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:27
S33	0	((user near1 profile) same contains near1 location\$3) and company near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:27

S34	0	((user near1 profile) same contains near1 location\$3) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:27
S35	0	((profile) same contains near1 location\$3) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:28
S36	0	((profile) same includes near1 location\$3) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:28
S37	49	((profile\$1) with location\$3) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:29
S38	2	((profile\$1) with location\$3 near1 description) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:29
S39	0	((profile\$1) with location\$3 near1 information\$1) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:30
S40	1	((profile\$1) with location\$3 near1 information\$1) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:38
S41	7	((profile\$1) same location\$3 near1 information\$1) and company near4 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:45

S42	13	(location\$3 with compan\$3 near1 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:51
S43	15379	(select\$3 near3 location) and code and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:52
S44	2401	(select\$3 near3 location) same code and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:52
S45	571	(select\$3 near3 location) same code and compan\$3 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:52
S46	331	(select\$3 near3 location) with code and compan\$3 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:52
S47	42	(select\$3 near3 location) with location near1 code and compan\$3 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:59
S48	52	(select\$3 near3 location) same location near1 code and compan\$3 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 11:59
S49	52	(select\$3 near3 location\$1) same location near1 code and compan\$3 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:40

S50	0	select\$1 with (compan\$1 near1 location\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:40
S51	9	select\$1 with (compan\$1 near3 location\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:41
S52	38	select\$3 with (compan\$1 near3 location\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:41
S53	12	select\$3 with (compan\$1 near1 location\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:42
S54	5	select\$3 with (compan\$1 near1 location\$1) same code and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:50
S55	0	(compan\$1 near1 location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:50
S56	1	(compan\$1 near4 location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:50
S57	1247	(location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:51

S58	31	(select\$4 near1 location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:57
S59	0	profile\$1 with(select\$4 near1 location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:51
S60	1	register\$1 with(select\$4 near1 location\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:52
S61	11	(select\$4 near1 area\$1) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 12:59
S62	8	(select\$4 near4 geographic\$3) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:03
S63	134	(geographic\$3) with associat\$3 near2 code\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:03
S64	134	(geographic\$3) with (associat\$3 near2 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:03
S65	1	profile\$1 with (geographic\$3) with (associat\$3 near2 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:04

S66	0	(drop near4 list\$) with (geographic\$3) with (associat\$3 near2 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:05
S67	8	(list\$) with (geographic\$3) with (associat\$3 near2 code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:06
S68	4	(webpage) with (geographic\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:07
S69	4	(webpage) with select\$3 with(location\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:12
S70	15	(webpage) same select\$3 with(location\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:17
S71	4	(webpage) same (location\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:19
S72	2	(webpage) same (area\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:19
S73	77	(webpage) and (area\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:19

S74	727	(webpage) and (select\$3 area\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:19
S75	0	(webpage) and (select\$3 near1 area\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:19
S76	1	(webpage) and (select\$3 near1 area\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:22
S77	3	(webpage) and (select\$3 near4 area\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:58
S78	15	(webpage) and (area\$3 with associat\$3 with code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:54
S79	1	("6477247").PN.	USPAT; USOCR	OR	OFF	2005/10/27 13:55
S80	1	("6304637").PN.	USPAT; USOCR	OR	OFF	2005/10/27 13:55
S81	1	(webpage) and (choos\$3 near4 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:59
S82	96	(choos\$3 near4 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:01
S83	0	(choos\$3 near4 supplier near2 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:01

S84	0	(choos\$3 near4 company near2 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:01
S85	3	(choos\$3 near4 provider near2 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:02
S86	96	(choos\$3 near4 location\$3 same code\$1) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:09
S87	1692	(choos\$3 near4 location\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:09
S88	1	(choos\$3 near4 company near1 location\$3) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:09
S89	11	(profile\$1 with (compan\$4 near2 location\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:12
S90	1005	(displaywith (compan\$4 near2 location\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:12
S91	48	(display\$3 with (compan\$4 near2 location\$3)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:17

S92	7	(display\$3 with (compan\$4 with group with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:18
S93	2	(display\$3 with (compan\$4 near1 group\$1 with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:18
S94	16	((compan\$4 near1 group\$1 with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:22
S95	31	((compan\$4 near2 group\$1 with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:25
S96	64	((compan\$4 near2 group\$1 same location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:48
S97	21249	((list same location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:48
S98	94	((list with compan\$3 with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:49
S99	15	((select\$3 with list with compan\$3 with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:50

S10 0	1590	((select\$3 with list with location\$1)) and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:51
S10 1	4295	((select\$3 with list with location\$1)) compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:51
S10 2	14	((select\$3 with list with location\$1))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:53
S10 3	0	((select\$3 with list with geographic\$1))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:53
S10 4	1	((select\$3 with list with geographic\$1))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:54
S10 5	14	((select\$3 with list with location\$1))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:54
S10 6	19	((select\$3 same list with location\$1))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:56
S10 7	22	((select\$3 same list with area\$3))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:58

S10 8	11	((display\$1 same list with location\$3))and compan\$3 near1 group\$1 and @ad<="20010323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 18:10
----------	----	---	---	----	----	------------------